



2024 CHAR PRODUCT CATALOG

MISSION STATEMENT

To continuously invigorate the culinary experience through research & development, innovative designs, the latest technology and creative manufacturing techniques.





VISION STATEMENT

To bring the highest quality product on the market to our customers.









The core products produced are commercial appliances for the food industry.



CHAR® is a United States based manufacturing company located in the heart of the entertainment industry: Las Vegas, Nevada. The company was founded in 2016 by the Blazvick family, a long-standing name in the culinary industry of fabrication. The Blazvick's have over 30 years of consistent, not combined, experience in commercial kitchen, design, fabrication, and service. CHAR® focuses on front of house commercial appliances that promise to give a real "WOW" factor along with a radiant experience for the customer while producing the most exciting food products available. With a full line up of products, crossing all 3 temperature zones, you can be assured that your next project will find the right, Appliances with Soul®.

Las Vegas brings a unique perspective when designing culinary equipment. The 24/7 use and nonstop operations means that products must be designed and manufactured to the highest level of standards. All CHAR® Products are just that: heavy duty engineered designs which allow extreme use daily while holding an appeal that brings the front of house alive.

3D modeling technology, state of the art fabrication techniques, and highly trained skilled craftsman allow CHAR® to bring any imaginative idea to reality. We design, engineer, and test to NSF, ETL, and/or UL standards as needed for each product and have even developed/patented several products which bring a creative appeal to the culinary world. Working closely with design consultants, our team can engineer any custom one-off product needed.



OUR TEAM

We have the experience and talent to consult, design, and fabricate your next project. From concept to finished product, we deliver.



Bill Blazvick

President
bill@charprd.com



Melissa Blazvick Managing Member melissa@charprd.com



Nathan Blazvick Vice President of Engineering and Operations nate@charprd.com



Kimberly Szumilo
Office Manager/Accounting
kim@charprd.com



Tadd Burns
Director of
Production Manager/
Technical/Resources
tadd@charprd.com





Samantha Ridley Vice President of Sales samantha@charprd.com

TABLE OF CONTENTS

COLD PRODUCTS4
Wine Display Case Meat Display Case Equipment Base Refrigerated Equipment Base Freezer
HOT PRODUCTS14
Standard Wood Fired Grill Wagon Wheel Grill Solid Fuel Santa Maria Grill Robata Solid Fuel Churrasco Solid Fuel Barrel Roasting Oven Standard Gas Fired Grill Robata Gas Fuel Churrasco Gas Fuel Parilla Grill Gas Fueled Grill Round Broiler Non-Rotational Round Rotating Broiler Round Plancha Gas Fueled Tortilla Grill Sarj Gas Fuel Vertical Rotisserie
AMBIENT PRODUCTS50
Round Rotating Dessert Display Equipment Base Ambient Equipment Base Tube Frame
RADIANT PRODUCTS58











WINE DISPLAY CASE

Specification Sheet



SPECIFICATIONS

CHAR Products has over 20 years experience designing, engineering and manufacturing Wine Display cases. Our products reside all over the United States, in some of the most prestigious establishments.

Each display is custom designed to each clients specifications. Every client option request is taken and engineered into the design. Each element is evaluated for performance and conformity to ETL/NSF7/UL safety standards. Each case is tested and certified at our facility before shipment.

Contact our sales team and see what we can do for your next Wine Display case project.

- Must select Self contained (SC) or Remote Refrigeration (RR)
- Refrigerant will be R404A/R448A in all self contained units
- Consult factory for custom sizes
- Engineering collaboration with factory required on (RR) units









ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-WDC
Length of unit in inches
SC for self contained
RR for remote refrigeration
Option code from option list
Option code from option list

STANDARD FEATURES

- Stainless steel interior and exterior
- Foamed in place high density CFC Free Polyurethane insulation
- 6" Legs
- Heavy duty CHAR proprietary door hinging
- Glass doors, thermal dual pane, LI glass
- Stylish full height door handles
- Door Locks
- Standard tubular wine racking
- Standard non UV

 LED lighting
- Two year warranty: parts & labor

OPTIONS		
OPTION DESCRIPTION		
CODE		
WDR	CUSTOM RACKING OPTIONS	
CLED	CUSTOM LED LIGHTING OPTIONS	
СС	CUSTOM INTERIOR/EXTERIOR FINISH	
GNG	GLASS OPTIONS	
SZR	SINGLE ZONE REFRIGERATION	
DZR	DUAL ZONE REFRIGERATION	
MZR	MULTI ZONE REFRIGERATION	


CONSULTANT APPROVAL:


Website: www.charprd.com 2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	ELECTRIC	SHIPPING
	Α	(SC)	WEIGHT
		MODELS	ESTIMATED
CP-WDC-36-SC	36"	120V-1PH-15A	1,100 LBS
CP-WDC-48-SC	48"	120V-1PH-15A	1,250 LBS.
CP-WDC-60-SC	60"	120V-1PH-15A	1,400 LBS.
CP-WDC-72-SC	72"	120V-1PH-15A	1,550 LBS.







- 1. Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 3. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





MEAT AGING DISPLAY CASE

SPECIFICATION SHEET



* Shown with optional casters

SPECIFICATIONS

CHAR Products has over 20 years experience designing, engineering and manufacturing Meat Aging Display cases. Our products reside all over the United States, in some of the most prestigious establishments. Each element is evaluated for performance and conformity to ETL/NSF7 safety standards. Each case is tested and certified at our facility before shipment.

Contact our sales team and see what we can do for your next Meat Aging Display case project.

- Must choose (SC) for Self Contained or (RR) for Remote Refrigeration
- Consult factory for custom sizes
- Engineering collaboration with factory required on (RR) units
- Refrigerant will be R404A/R448A on all self contained units.







Ph. 702-489-9888



ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-MDC	
Length of unit in inches	†
SC for self contained	
RR for remote refrigeration	
Option code from option list	
Option code from option list	_

STANDARD FEATURES

- Stainless steel interior and exterior
- Foamed in place high density Polyurethane insulation
- 6" Legs
- Humidity and temperature monitoring
- Heavy duty CHAR proprietary door hinging
- Glass doors, thermal dual pane, LI glass
- Stylish full height door handles
- Door Locks
- Standard adjustable stainless steel shelving
- Meat hooks and hanging bars
- Two year warranty: parts & labor

OPTIONS		
OPTION	DESCRIPTION	
	CUCTOM DICDI AV CUELVING	
CS	CUSTOM DISPLAY SHELVING	
CLED	CUSTOM LED LIGHTING OPTIONS	
	OPTIONS	
CC	CUSTOM INTERIOR/EXTERIOR	
	FINISH	
GNG	GLASS TINTS NON-GLARE	
С	CASTERS	


CONSULTANT APPROVAL:	


Website: www.charprd.com


2915 Losee Rd. Ste 106



MODEL#	LENGTH	ELECTRIC	SHIPPING
SELF	Α	(SC)	WEIGHT
CONTAINED		MODELS	ESTIMATED
CP-MDC-36-SC	36"	120V-1PH-15A	1,100 LBS
CP-MDC-48-SC	48"	120V-1PH-15A	1,250 LBS.
CP-MDC-60-SC	60''	120V-1PH-15A	1,400 LBS.
CP-MDC-72-SC	72"	120V-1PH-15A	1,550 LBS.







- Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 3. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





EQUIPMENT BASE REFRIGERATED

SPECIFICATION SHEET



*SHOWN WITH OPTIONAL CASTERS

SPECIFICATIONS

CHAR Products has over 20 years experience designing, engineering and manufacturing Freezer Equipment Bases. Our products reside all over the United States, in some of the most prestigious establishments.

Contact our sales team and see what we can do for your next Freezer Equipment Base project.

- Must select length 36",48",60"72"
- Must select refrigeration type (SC) self contained (RR) remote refrigeration
- Self contained will be R404A/R448A refrigerant standard










ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION



STANDARD FEATURES

- Stainless steel interior and exterior
- Foamed in place high density CFC Free Polyurethane insulation
- Heavy duty 6" adjustable legs
- Digital temperature control
- Doors or drawers include full perimeter magnetic gaskets
- Stainless steel adjustable wire shelf included with door models
- Full extension slide assemblies included with drawer models
- Solid sub top
- Two year warranty parts and labor
- Five year warranty compressor

OPTIONS		
OPTION	DESCRIPTION	
С	FOUR 6" ROLLING CASTERS TWO	
	LOCKING	
DR	DOORS	
DRW	DRAWERS	
FCI	FIBER CERAMIC	
	INSULATE TOP	

CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	ELECTRIC	BTU H	SHIPPING	
	Α			WEIGHT	
				ESTIMATED	
CP-EBR-36	36"	120V-1PH-10A	1100	350 LBS.	
CP-EBR-48	48"	120V-1PH-10A	1300	375 LBS.	
CP-EBR-60	60"	120V-1PH-10A	1500	400 LBS.	
CP-EBR-72	72"	120V-1PH-10A	1700	450 LBS.	







- 1. Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 3. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





EQUIPMENT BASE FREEZER

SPECIFICATION SHEET



*SHOWN WITH OPTIONAL CASTERS

SPECIFICATIONS

CHAR Products has over 20 years experience designing, engineering and manufacturing Freezer Equipment Bases. Our products reside all over the United States, in some of the most prestigious establishments.

Contact our sales team and see what we can do for your next Freezer Equipment Base project.

- Must select length 36",48",60",72"
- Must choose (SC) for self contained or (RR) for remote refrigeration
- Self contained will be R404A/R448a refrigerant standard









ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-EBF	:_	-	
Length of unit		1	1
Refrigeration type			
Option code from option list			

STANDARD FEATURES

- Stainless steel interior and exterior
- Foamed in place high density CFC Free Polyurethane insulation
- Heavy duty 6" adjustable legs
- Digital temperature control
- Doors or drawers include full perimeter magnetic gaskets
- Stainless steel adjustable wire shelf included with door models
- Full extension slide assemblies included with drawer models
- Solid sub top
- Two year warranty parts and labor
- Five year warranty compressor

	OPTIONS	
OPTION	DESCRIPTION	
CODE		
С	FOUR 6" ROLLING CASTERS	
	TWO	
	LOCKING	
DR	DOORS	
DRW	DRAWERS	
FCI	FIBER CERAMIC	

CONSULTANT APPROVAL:	

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	ELECTRIC	вти н	SHIPPING
				WEIGHT
CP-EBF-36	36"	120V-1PH-10A	1100	300 LBS.
CP-EBF-48	48"	120V-1PH-10A	1300	325 LBS.
CP-EBF-60	60"	120V-1PH-10A	1500	350 LBS.
CP-EBF-72	72"	120V-1PH-10A	1700	400 LBS.







- 1. Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 3. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898


Email: info@charprd.com

HOT

CHAR® Products can produce a wide range of cooking appliances: Exhibition cooking, Wood-Fired cooking and Gas Fired cooking appliances











STANDARD WOOD FIRED GRILL

SPECIFICATION SHEET

ITEM NO			
QUANTITY			
JOB NAME			
JOB NO			
PA	PART NUMBER DESIGNATION		





STANDARD FEATURES

- 1/4' steel body
- · Ceramic cloth insulated body
- · Ceramic Brick lined fire box
- 6" casters two locking
- Skewers included
- 1/2" thick laser cut removable steel grates
- Cleaning kit
- Two year warranty parts and labor

	OPTIONS
OPTION CODE	DESCRIPTION
RRG	ROUND ROD GRATES
PS	PLATE SHELF
PSC	PLATE SHELF
	W/CONDIMENT INSERTS
CC	CUSTOM COLOR
	FINISH

SPECIFICATIONS

The solid fueled CHAR Standard Grill is available in single tier configurations in four different sizes. To ensure performance and longevity these units are constructed entirely 1/4" steel and have a ceramic cloth exterior, and a ceramic brick lined fire box

• Must select length 36", 48", 60", 72"











CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888 Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	SHIPPING
	Α	WEIGHT
		ESTIMATED
CP-WFG-STD-36	36"	656 LBS.
CP-WFG-STD-48	48"	874 LBS.
CP-WFG-STD-60	60"	1,093 LBS.
CP-WFG-STD-72	72"	1,311 LBS.







- 1. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 2. Observe all local and national codes.
- 3. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 4. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898

Website: www.charprd.com

2915 Lose Rd. Ste 106

Email: info@charprd.com






ITEM NO QUANTITY JOB NAME JOB NO

WAGON WHEEL GRILL SOLID FUEL

SPECIFICATION SHEET



*SHOWN WITH OPTIONAL ROTISSERIE

SPECIFICATIONS

The CHAR Wagon Wheel Grill has a wheel crank to raise and lower the grill grates. Currently available in 48", 60", 72" and 84". The Wagon Wheel Grill has an insulated exterior and a fire brick lined fire box. The unit has removable grilling grates, with options for laser cut stainless steel "V" style, round rod style, or flat style griddle plates. The lower section is for wood storage. The base model has a beautiful satin black powder coat finish. However optional colors including stainless steel are available.

PART NUMBER DESIGNATION

	CP-WFG-WWG	 	
Length		 $\overline{\uparrow}$	1
Option	code from option list —		

STANDARD FEATURES

- 1/4" thick powder coated steel body
- Ceramic insulated exterior surface
- 1/4" steel fire box
- Fire brick lined
- 3/8" thick laser cut removable steel grates
- Heavy duty 6" swivel casters (two locking)
- Two year warranty parts and labor

OPTIONS					
	OPTION CODE	DESCRIPTION			
	AL	6" ADJUSTABLE LEGS			
	GP	3/8" POLISHED GRIDDLE PLATE			
	SSG	STAINLESS STEEL LASER CUT GRATES			
	VG	V-STYLE GRATES			
	RRG	ROUND ROD GRATES			
:	RS	ROTISSERIE W/SKEWER			
	PCO	PAN CUT-OUTS			
	PS	PLATE SHELF			
	AC	ASH CART			
	WA	WOOD CART			
	CC	CUSTOM COLOR FINISH			

Autoquotes	AQ	Auto Quotes
------------	----	--------------------









CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898

Website: www.charprd.com


Email: info@charprd.com


2915 Losee Rd. Ste 106 N. Las Vegas, NV 89030


© copyright 2024



MODEL#	LENGTH	ESTIMATED
	Α	SHIPPING
		WEIGHT
CP-WFG-WWG-48	48"	950 LBS.
CP-WFG-WWG-60	60"	1100 LBS.
CP-WFG-WWG-72	72"	1500 LBS.
CP-WFG-WWG-84	84"	1850 LBS.







- 1. An adequate ventilation system is required for commercial use. DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 2. Observe all local and national codes.
- 3. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 4. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





QUANTITY JOB NAME JOB NO

PART NUMBER DESIGNATION

CP-WFG-SMG-_--_-

SANTA MARIA SOLID FUEL GRILL

SPECIFICATION SHEET



SPECIFICATIONS

The CHAR solid fuel Santa Maria Grill is manufactured to precise standards using 304 stainless steel full body construction and heavy duty support frame. Operator safety and comfort is strengthened through the use of ceramic lined exterior panels that prevent heat transfer. Enhanced cooking performance is achieved through the use of refractory brick lined burn pit with tailgate style access for easy ash cleanout. The fully enclosed stainless steel wood storage area offers an easy solution for safely storing and adding your preferred solid fuel. The singular gantry system provides the clearance necessary to operate optional rotisserie attachments. Also available are three interchangeable and unique grill racks that provide versatility in grill method and needs. The Santa Maria solid fuel grill is available in 48", 60", 72", 84" sizes to fit your needs.

Must choose size 48, 60, 72, 84

STANDARD FEATURES

- Stainless steel construction
- Fire brick lined fire box
- Multi level grates
- Stainless steel wood storage cabinets
- Ceramic insulation In floor and outer perimeter
- Optional exterior finishes available
- 6" Casters
- Two years parts and labor warranty

OPTIONS			
OPTION	DESCRIPTION		
CODE			
R	ROTISSERIE		
VGG	V-SHAPE GRILL GRATE		
GP	GRIDDLE PLATE		
PS	PLATE SHELF		
PSC	PLATE SHELF W/ CONDIMENT PAN		
СМ	CURB MOUNTED		
СС	POWDERCOAT CUSTOM COLOR		











CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888 Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	LENGTH	SHIPPING WEIGHT ESTIMATED
CP-WFG-SMG-48	48"	950 LBS.
CP-WFG-SMG-60	60''	1100 LBS.
CP-WFG-SMG-72	72''	1500 LBS.
CP-WFG-SMG-84	84"	1850 LBS.





- 1. An adequate ventilation system is required for commercial use. DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 2. Observe all local and national codes.
- 3. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 4. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





ROBATA SOLID FUEL

SPECIFICATION SHEET



SPECIFICATIONS

This CHAR Robata Grill is solid fueled and constructed of 304 stainless steel. Currently available in 36", 48", 60" and 72" lengths Units have ceramic insulated exteriors. The quality of this grill will ensure performance and longevity. Standard 3" adjustable leveling feet.

- Must select (SD) (28.5") for Standard Depth or (ND) (20") for Narrow Depth
- Must select 36", 48", 60", 72" in length for part number
- See Equipment base spec sheets separately











ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-WFG-ROB		-		
Length	_	<u>†</u>	1	1
Depth (SD) or (ND)				
Option Code from option list				_

STANDARD FEATURES

- 14 gauge stainless steel body
- Ceramic cloth insulated exterior
- Fully welded 14 gauge stainless fire box
- Fire brick lined
- 1/2" thick laser cut removable.
- Adjustable Skewer Bars
- Adjustable leveling feet
- Grill cleaning kit
- Two year warranty parts and labor
- Grill cleaning kit

OPTIONS		
OPTION CODE	DESCRIPTION	
OHWR1	OVERHEAD WARMING RACK 1 TIER	
OHWR2	OVERHEAD WARMING RACK 2 TIER	
SSG	1/2" THICK STAINLESS STEEL GRATE	
GP	1/2" THICK STAINLESS STEEL	

CONSULTANT APPROVAL:	


Ph. 702-489-9888

Website: www.charprd.com


2915 Losee Rd. Ste 106




MODEL#	LENGTH	NARROW	STANDARD	SHIPPING
	Α	DEPTH	DEPTH	WEIGHT
CP-WFG-ROB-36	36"	20"	28.5"	150 LBS.
CP-WFG-ROB-48	48"	20"	28.5"	200 LBS.
CP-WFG-ROB-60	60"	20"	28.5"	250 LBS
CP-WFG-ROB-72	72"	20"	28.5"	300 LBS.



TOP





INSTALLATION INSTRUCTIONS

- 1. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 2. Observe all local and national codes.
- 3. Proper combustion requires this unit to remain on 3" legs
- . This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 5. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Lose Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





CHURRASCO SOLID FUEL

SPECIFICATION SHEET



SPECIFICATIONS

The solid fueled CHAR Churrasco Broiler is available in single tier configurations in four different sizes. Each comes with rotating spits. A proven industrial gear motor offers years of uninterrupted operation of the rotating spits. To ensure performance and longevity these units are constructed entirely of 304 stainless steel and have a ceramic cloth exterior, and a ceramic brick lined fire

- Must select length 36", 48", 60", 72"
- See spec sheets for cabinet and table bases













ITEM NO		
QUANTITY		
JOB NAME		
JOB NO		
PART NUMBER DESIGNATION		

CP-WFG-CH	U		
Length		$\overline{\uparrow}$	1
Option code from option list			

STANDARD FEATURES

- 14 gauge stainless steel body
- Ceramic cloth insulated body
- Overhead resting rack
- Fully welded 14 gauge stainless fire box
- Ceramic Brick lined fire box
- Adjustable leveling feet
- Skewers included
- 1/2" thick laser cut removable steel grates
- Cleaning kit
- Two year warranty parts and labor

OPTIONS				
OPTION	DESCRIPTION			
RPS	REMOVABLE 8" PLATE SHELF			
SG	STAINLESS STEEL GRATE			
FG	FISH GRATES			
PSC	PLATE SHELF 1/6 PAN			
	CONDIMENT INSERTS			

CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	LENGTH	SHIPPING
	Α	WEIGHT
		ESTIMATED
CP-WFG-CHU-36	36"	656 LBS.
CP-WFG-CHU-48	48"	874 LBS.
CP-WFG-CHU-60	60"	1,093 LBS.
CP-WFG-CHU-72	72"	1,311 LBS.





- 1. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 2. Observe all local and national codes.
- 3. Proper combustion requires this unit to remain on 3" legs
- 4. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 5. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Lose Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

BARREL ROASTING OVEN

SPECIFICATION SHEET



PART NUMBER DESIGNATION

CP-WFG-BRO

STANDARD FEATURES

- Heavy duty stainless steel components
- Cast ceramic oven chamber and fire box
- Fully welded stainless steel fire box enclosure
- Heavy duty base frame
- Removable cooking grate and oven lid
- Grease drain (grease trap to be provided by others)
- Two year warranty, parts and labor

SPECIFICATIONS

The CHAR Barrel Roasting Oven is a solid fuel, cast ceramic oven. The ceramic vessel insulates the exterior from extreme temperatures, while maintaining an ideal cooking temperature. The top opening of the ceramic cooking chamber is 25.72" opening. This allows access for hanging or grilling food items. The outside of this chamber is insulated and covered with an expanded metal mesh which functions as an attachment point for a stucco or tile finish(to be provided by others). The unit is mounted on a heavy duty frame designed for forklift mobility and ease of installation.











CONSULTANT APPROVAL:	

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	WIDTH	SHIPPING
			WEIGHT
			ESTIMATED
CP-WFG-BRO	70 15/16"	38"	2200 LBS.







- 1. An adequate ventilation system is required for commercial use. DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 2. Observe all local and national codes.
- 3. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 4. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





STANDARD GAS FIRED GRILL

SPECIFICATION SHEET



SPECIFICATIONS

The Gas Fueled CHAR Standard Grill is available in in four different sizes. To ensure performance and longevity these units are constructed entirely of 14 gauge stainless steel and have a ceramic cloth insulated body.

- Must select length 36", 48", 60", 72"
- Must select gas type (LP) for Propane (NG) for Natural Gas



CHAR Products, LLC







ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-GFG-STD	
Length	
Gas type (LP) for Propane (NG) for Natural Gas	
Option code from option list	

STANDARD FEATURES

- 14 gauge stainless steel body
- Ceramic cloth insulated body
- Multiple gas control valves for precise heat control
- Adjustable leveling feet
- Removable drip pan
- 1/2" thick laser cut removable steel grates
- 3/4" gas connection
- Cleaning kit
- Appropriate gas regulator (for gas type selected)
- Two year warranty parts and labor

OPTIONS				
OPTION	DESCRIPTION			
CODE				
FQD	48" FLEX QUICK DISCONNECT			
OHWR1	OVERHEAD WARMING RACK 1 TIER			
OHWR2	OVERHEAD WARMING RACK 2 TIER			
GP	1/2" STAINLESS STEEL POLISHED GRIDDLE PLATE			
SSG	1/2" STAINLESS STEEL GRATE			
R	ROTISSERIE			
RF	ROTISSERIE FORKS			
PS	PLATE SHELF			
PSC	PLATE SHELF			
	W/CONDIMENT INSERTS			
FF FEATURE FLAME				
CONSULTANT ADDROVAL.				

CONSULTANT APPROVAL:

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	FUEL	BTU	SHIPPING
	Α	LINE	INPUT	WEIGHT
		SIZE	NG	ESTIMATED
CP-GFG-STD-36	36"	3/4''	66,000	656 LBS.
CP-GFG-STD-48	48"	3/4"	115,500	874 LBS.
CP-GFG-STD-60	60"	3/4"	148,500	1,093 LBS.
CP-GFG-STD-72	72"	3/4"	165,000	1,311 LBS.







- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 3" legs.
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898

Website: www.charprd.com

2915 Losee Rd. Ste 106

Email: info@charprd.com





ROBATA GAS FUEL

SPECIFICATION SHEET



SPECIFICATIONS

This CHAR Robata Grill is GAS fueled and constructed of 304 stainless steel. Currently available in 36", 48", 60" and 72" lengths Units have ceramic insulated exteriors and heavy duty stainless steel burners. The quality of this grill will ensure performance and longevity. Standard 3" adjustable leveling feet.

- Must select SD (28.5") for standard depth or ND (20") for narrow depth
- Must input 24", 36", 48", 60", 72" in length for part number
- Must select fuel type (LP) for Propane (NG) for Natural Gas
- See Equipment base spec sheets separately









PA	RT NUMBER DESIGNATION
JOB NO	
JOB NAME	
QUANTITY	
ITEM NO	

CP-GFG-ROB
Length
Depth (SD) or (ND)
Fuel Type (LP) for Propane, (NG) for Natural Gas
Option Code from option list

STANDARD FEATURES

- 14 gauge stainless steel body
- Multiple gas control valves for precise heat control
- Fully welded 14 gauge stainless fire box
- Stainless lined
- 1/2" thick laser cut removable grill grates
- Adjustable Skewer Bars
- Adjustable leveling feet
- Removable stainless burners
- Cleaning kit
- Two year warranty parts and labor

	OPTIONS	
OPTION	DESCRIPTION	
CODE		
FQD	48" FLEX QUICK DISCONNECT	
OHWR1	OVERHEAD WARMING RACK 1	
	TIER	
OHWR2	OVERHEAD WARMING RACK 2	
	TIER	
GP	1/2" POLISHED STAINLESS	
	STEEL GRIDDLE PLATE	
SSG	1/2" STAINLESS STEEL GRATE	
PS	PLATE SHELF	
PSC	PLATE SHELF 1/6 PAN	
	CONDIMENT INSERTS	
FF	FEATURE FLAME	
LOON TOTAL THE LABOR.	27717	

CONSULTANT APPROVAL:

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com

2915 Losee Rd. Ste 106


Email: info@charprd.com




MODEL#	LENGTH	NARROW	STANDARD	BTU	BTU WITH	SHIPPING
	Α	DEPTH	DEPTH	INPUT	FEATURE	WEIGHT
		В	В	NG	FLAME	ESTIMATED
CP-GFG-ROB-24	24"	20"	28.5"	44,000	74,000	125 LBS.
CP-GFG-ROB-36	36"	20"	28.5"	66,000	96,000	150 LBS.
CP-GFG-ROB-48	48"	20"	28.5"	115,500	145,500	200 LBS.
CP-GFG-ROB-60	60"	20"	28.5"	148,500	178,500	250 LBS
CP-GFG-ROB-72	72"	20"	28.5"	165,000	195,000	300 LBS.



TOP





INSTALLATION INSTRUCTIONS

- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 3" legs.
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





CHURRASCO GAS FUEL

SPECIFICATION SHEET



SPECIFICATIONS

The gas fueled CHAR Churrasco Broiler is available in single tier configurations in four different sizes. Each comes with rotating spits. A proven industrial gear motor offers years of uninterrupted operation of the rotating spits. To ensure performance and longevity these units are constructed entirely of 304 stainless steel and have a ceramic cloth exterior.

- See spec sheets for cabinet and table bases
- Must select length 36", 48", 60", 72"
- Must select gas type (LP) for Propane (NG) for Natural Gas



CHAR Products, LLC







ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	
PA	RT NUMBER DESIGNATION

CP-GFG-CHU	
Length	
Gas type (LP) for Propane (NG) for Natural Gas	
Ontion code from ontion list	

STANDARD FEATURES

- 14 gauge stainless steel body
- Ceramic cloth insulated body
- Multiple gas control valves for precise heat control
- Over head resting rack
- Removable drip pans
- Adjustable leveling feet
- Skewers included
- 1/2" thick laser cut removable steel grates
- 3/4" gas connection
- Cleaning kit
- Appropriate gas regulator (for gas type selected)
- Two year warranty parts and labor

	OPTIONS		
OPTION	DESCRIPTION		
FQD	3/4"" FLEX QUICK		
	DISCONNECT		
RPS	REMOVABLE 8" PLATE SHELF		
SG	STAINLESS STEEL GRATE		
FG	FISH GRATES		
PSC	PLATE SHELF 1/6 PAN		
	CONDIMENT INSERTS		
GS	GAS SAFETY		

CONSULTANT APPROVAL:

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	LENGTH	FUEL	ELECTRIC	BTU	SHIPPING
	Α	LINE	W/GAS	INPUT	WEIGHT
		SIZE	SAFETY	NG	ESTIMATED
CP-GFG-CHU-36	36"	3/4"	120V-1PH-10A	66,000	656 LBS.
CP-GFG-CHU-48	48"	3/4"	120V-1PH-10A	115,500	874 LBS.
CP-GFG-CHU-60	60"	3/4"	120V-1PH-10A	148,500	1,093 LBS.
CP-GFG-CHU-72	72"	3/4"	120V-1PH-10A	165,000	1,311 LBS.





- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 3" legs.
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

 CHAR Products, LLC
 Ph. 702-489-9888
 Website: www.charprd.com
 2915 Losee Rd. Ste 106

 Fax. 702-489-9898
 Email: info@charprd.com
 N. Las Vegas, NV 89030





PARILLA GAS FUELED GRILL


SPECIFICATION SHEET



SPECIFICATIONS

The CHAR Parilla Grill is manufactured to precise standards using 304 stainless steel full body construction and heavy duty support frame. Operator safety and comfort is strengthened through the use of ceramic lined exterior panels that prevent heat transfer. Enhanced cooking performance is achieved through the use of Stainless Steel Gas Burners. The Parilla Grill is available in 36", 48", 60" and 72" lengths to fit your needs.

- Please see spec sheets for cabinets and bases.
- Must select length 36", 48", 60", 72"
- Must select fuel type (LP) for Propane (NG) for Natural Gas



PART NUMBER DESIGNATION

CP-GFG-PAR-			-
Length	—	T	1
Fuel type (NG) for Natural Gas		\dashv	
(LP) for Propane		_	
Options			

STANDARD FEATURES

- Stainless steel construction
- Tilting Grates
- Fiber Ceramic insulation on perimeter
- Optional exterior finishes available
- Adjustable Feet
- Multiple gas valves for even heat
- Two years parts and labor warranty

	OPTIONS		
OPTION	DESCRIPTION		
FQD	48" FLEX QUICK DISCONNECT		
R	ROTISSERIE		
GP	1/2" POLISHED GRIDDLE PLATE		
PS	PLATE SHELF		
PSC	PLATE SHELF W/ CONDIMENT PAN		
FF	FEATURE FLAME		
СС	POWDERCOAT CUSTOM COLOR		










CONSULTANT APPROVAL:



MODEL#	LENGTH	FUEL LINE	BTU	SHIPPING
	Α	SIZE	INPUT	WEIGHT
			NG	ESTIMATED
CP-GFG-PAR-36	36"	3/4"	66,000	300 LBS.
CP-GFG-PAR-48	48"	3/4"	115,500	450 LBS.
CP-GFG-PAR-60	60"	3/4"	148,500	600 LBS.
CP-GFG-PAR-72	72"	3/4"	165,000	800 LBS.



- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 3" legs.
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





ITEM NO QUANTITY JOB NAME JOB NO PART NUMBER DESIGNATION

ROUND BROILER NON-ROTATIONAL

SPECIFICATION SHEET



SPECIFICATIONS

The CHAR Round Broiler uses gas fuel. Available in 48" and 60" diameters. The unit serves as a heavy duty broiler and can function as a griddle when equipped with the high polished 1" thick removable stainless steel griddle plates. These units are equipped with heavy duty cast lift out burners and radiant panels. To ensure peak performance and longevity, these units are constructed entirely from 304 stainless steel and contain a ceramic cloth insulated exterior.

- Must select diameter 48,60 inch diameters
- Must select fuel type (NG) for Natural Gas (LP) for Propane









Intertek

Diameter	1
Fuel type (NG) for Natural Gas (LP) for Propane	
Ontions	

CP-GFG-NRB- - -

STANDARD FEATURES

- 14 Gauge stainless steel body
- Left and right side gas valves
- Removable drip pans
- Fully welded 14 gauge stainless steel fire box
- Ceramic cloth insulated perimeter
- 1/2" Thick laser cut removable steel grates
- Heavy duty locking swivel casters
- 1" gas connection
- Appropriate regulator for gas type selection
- Two year warranty parts and labor

	OPTIONS			
OPTION	DESCRIPTION			
CODE				
GP	1/2" POLISHED GRIDDLE PLATE			
FQD	48'' GAS FLEX QUICK DISCONNECT			
RPS	REMOVABLE PLATE SHELF 10"			
PSC	PLATE SHELF 1/6 PAN			
	W/CONDIMENT INSERT			
FF	FEATURE FLAME			

CONSULTANT APPROVAL:

CHAR Products, LLC

Ph. 702-489-9888 Fax. 702-489-9898


Website: www.charprd.com

2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	DIAMETER	GAS	BTU	BTU	SHIPPING
	Α	LINE	INPUT	W/FEATURE	WEIGHT
		SIZE	NG	FLAME	ESTIMATED
CP-GFG-NRB-48	48"	1"	198,000	228,000	1,200 LBS.
CP-GFG-NRB-60	60′′	1"	222,000	252,000	1,550 LBS.



- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 6" casters
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





ROUND ROTATING BROILER


SPECIFICATION SHEET



SPECIFICATIONS

The CHAR Round Broiler uses gas fuel. Available in 38", 48" and 60" diameters. The unit serves as a heavy duty broiler and can function as a griddle when equipped with the high polished 1" thick removable stainless steel griddle plates. These units are equipped with heavy duty cast lift out burners and radiant panels. To ensure peak performance and longevity, these units are constructed entirely from 304 stainless steel and contain a ceramic cloth insulated exterior.

- Must select diameter 48,60 inch diameters
- Must select fuel type (NG) for Natural Gas (LP) for Propane



CP-GFG-RRB-		
-	 -	 4
Diameter	_	١
Fuel type (NG) for Natural Gas (LP) for F	'ropane	 ١

STANDARD FEATURES

- 14 Gauge stainless steel body
- Left and right side gas valves
- Removable drip pans
- Fully welded 14 gauge stainless steel fire box
- Ceramic cloth insulated perimeter
- 1/2" Thick laser cut removable steel grates
- Heavy duty locking swivel casters
- 1" gas connection
- Appropriate regulator for gas type selection
- Two year warranty parts and labor

	OPTIONS			
OPTION	DESCRIPTION			
CODE				
GP	1/2" POLISHED GRIDDLE PLATE			
FQD	48" GAS FLEX QUICK DISCONNECT			
RPS	REMOVABLE PLATE SHELF 10"			
PSC	PLATE SHELF 1/6 PAN			
	W/CONDIMENT INSERT			
FF	FEATURE FLAME			









CONSULTANT APPROVAL:

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com

2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	DIAMETER	HEIGHT	ELECTRICAL	вти	вти	SHIPPING
	Α			INPUT	W/FEATURE	WEIGHT
				NG	FLAME	ESTIMATED
CP-GFG-RRB-48	48"	36.5"	120V-1PH-8A	198,000	228,000	1,200 LBS.
CP-GFG-RRB-60	60"	36.5"	120V-1PH-8A	222,000	252,000	1,550 LBS.



- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 6" casters
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





ROUND PLANCHA GAS FUELED

SPECIFICATION SHEET



SPECIFICATIONS

The CHAR gas fueled Round Plancha is available in 40", 48"and 60" diameters. This unit serves as a heavy duty griddle with high polished stainless steel plate cooking surface. To ensure performance and longevity, these units are constructed entirely of 304 stainless steel. Add the optional rotation feature to showcase the grilling experience. Utilizing a tested and proven industrial gear motor, this units option will provide years of uninterrupted operation of the rotating grill surface. Adjustability achieved with a rotational speed controller. This Round Plancha will be the highlight of the cooking experience.

- Must select from gas type (LP) for Propane (NG) for Natural as
- Gas safety is standard
- .Must choose size 40", 48", 60"









ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-GFG- RPL	
Size of grill	f
Gas type (LP) for Propane (NG) for Natural Gas	
Options from option list	J

STANDARD FEATURES

- 14 gauge stainless steel body
- · Left and right side gas valves
- Removable drip tray
- Fully welded 14 gauge stainless steel drip rail
- 1/2" thick laser cut high polished stainless steel griddle plate
- 3/4" gas connection
- Appropriate regulator for gas type selected
- 6" Casters
- Two year warranty parts and labor

	OPTIONS
OPTION	DESCRIPTION
RGP	ROTATING GRILL PLATE
RPS	REMOVABLE 10" PLATE SHELF
PSC	PLATE SHELF 1/6 PAN CONDI-

CONSULTANT APPROVAL:	


Ph. 702-489-9888


Website: www.charprd.com


2915 Losee Rd. Ste 106



MODEL#	LENGTH	FUEL LINE SIZE	ELECTRIC	BTU	SHIPPING
	&	LINE SIZE	W/GAS	INPUT	WEIGHT
	WIDTH		SAFETY	NG	ESTIMAT-
	Α				ED
CP-GFG- RPL-40	40	3/4"	120V-1PH-10A	168,000	475 LBS.
CP-GFG- RPL-48	48	3/4"	120V-1PH-10A	198,000	550 LBS.
CP-GFG- RPL-60	60	3/4"	120V-1PH-10A	222,000	675 LBS.







- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE
- 2. An adequate ventilation system is required for commercial use. DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on casters or legs
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





TORTILLA GRILL

SPECIFICATION SHEET



SPECIFICATIONS

The CHAR gas fueled Tortilla Grill is available in 36", 48"and 60" diameters. This unit serves as a heavy duty griddle, plancha, and tortilla grill with high polished stainless steel plate cooking surface. To ensure performance and longevity, these units are constructed entirely of 304 stainless steel. Add the optional rotation feature to showcase the grilling experience. Utilizing a tested and proven industrial gear motor, this units option will provide years of uninterrupted operation of the rotating grill surface. Adjustability achieved with a rotational speed controller. This tortilla grill will be the highlight of the cooking experience.

- Must select from gas type options (LP) for propane (NG) for natural gas
- Gas safety is standard









ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-GFG- RSQTG-	 	
Size of grill	 †	1
Type of gas		
Options from option list —		

STANDARD FEATURES

- 14 gauge stainless steel body
- Left and right side gas valves
- Removable drip tray
- Fully welded 14 gauge stainless steel drip rail
- 1/2" thick laser cut high polished stainless steel griddle plate
- 3/4" gas connection
- Appropriate regulator for gas type selected
- 6" legs standard
- Two year warranty parts and labor

	OPTIONS					
OPTION	DESCRIPTION					
CODE						
RGP	ROTATING GRILL PLATE					
RPS	REMOVABLE 10" PLATE SHELF					
PSC	PLATE SHELF 1/6 PAN CONDI-					
	MENT INSERTS					
С	6" CASTER KIT					
GS	GAS SAFETY					

CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com

2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	LENGTH	HEIGHT		ELECTRIC	BTU	SHIPPING
	&		SIZE	W/GAS	INPUT	WEIGHT
	WIDTH			SAFETY	NG	ESTIMAT-
	Α					ED
CP-GFG- RSQTG-36	36"x36"	36"	3/4"	120V-1PH-10A	168,000	475 LBS.
CP-GFG- RSQTG-48	48"x48"	36"	3/4"	120V-1PH-10A	198,000	550 LBS.
CP-GFG- RSQTG-60	60"x60"	36"	3/4"	120V-1PH-10A	222,000	675 LBS.



- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE
- 2. An adequate ventilation system is required for commercial use. DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on casters or legs
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com





SARJ GAS FUEL

SPECIFICATION SHEET



ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

PART NUMBER DESIGNATION

CP-GFG-SARJ-_-Fuel type (LP) for Propane (NG) for Natural Gas
Option code from option list

STANDARD FEATURES

- 14 gauge stainless steel body
- Domed grill surface
- Adjustable gas valve
- Full gas safety and igniter
- Grease drip ring
- Adjustable leveling feet
- 1/2" gas line
- Appropriate gas regulator (for gas type selected)
- Gas safety
- Two year warranty parts and labor

OPTIONS				
OPTION DESCRIPTION				
CODE				
FQD	1/2" FLEX QUICK			
	DISCONNECT			

SPECIFICATIONS

The CHAR gas fueled Sarj Grill is great for for cooking items such as naan breads. This unit has a heavy duty domed grill surface and is easily placed on or into a counter. To ensure performance and longevity these units are constructed entirely of 304 stainless steel.

- See spec sheets for cabinet and table bases
- Must choose fuel type (LP) for Propane (NG) for Natural Gas









CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	WIDTH	HEIGHT	FUEL LINE SIZE	ELECTRIC W/GAS	BTU INPUT-NG	SHIPPING WEIGHT
					SAFETY		ESTIMATED
CP-GFG-SARJ	20 7/16	24 5/8	17 9/16	1/2	120V-1PH- 5A	90,000	180 LBS.







- 1. An appropriate gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use. DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on legs.
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898


Email: info@charprd.com





VERTICAL ROTISSERIE

SPECIFICATION SHEET



SPECIFICATIONS

The CHAR Vertical Rotisserie is engineered for simple and secure skewer installation and removal. Gas Fueled, this infrared heat source is available in 33"x22". Smooth gear drive motion and offset heat sources provide uniform coverage of all available cooking area. The fully insulated exterior façade and interior base to ensure safe operation. Heavy duty stainless steel construction provides stability and longevity of the Vertical Rotisserie

• Must select gas type (LP) for Propane (NG) for Natural Gas

ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	
PA	RT NUMBER DESIGNATION

CP-GFG-VRTRO	Γ-
---------------------	----

Gas type (LP) for Propane (NG) for Natural Gas

Option code from option list

STANDARD FEATURES

- Full stainless steel construction
- Fully insulated, both interior and exterior
- Custom turned spit assembly includes 2 ea
- Full gas safety
- Removable drip pan
- Adjustable leveling feet
- 45 lb. spit capacity
- 3/4" gas connection
- Adjustable leveling feet
- Appropriate gas regulator (for gas type selected)
- Two year warranty parts and labor

OPTIONS		
OPTION CODE	DESCRIPTION	
FHS	FOLD OUT HEAT SHIELDS	
E120V	ELECTRICAL 120V/750W	
E240V	ELECTRICAL 240V/750W	
SA	SKEWER ASSEMBLY	









CONSULTANT APPROVAL:

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	WIDTH	FUEL	ELECTRIC	BTU	SHIPPING
			LINE	W/GAS	INPUT	WEIGHT
			0175	OAFETY		
			SIZE	SAFETY	NG	ESTIMATED







- 1. A properly sized gas line must be provided. All units are internally regulated. DO NOT DUAL REGULATE.
- 2. An adequate ventilation system is required for commercial use.DO NOT ATTEMPT TO OPERATE THIS EQUIPMENT WITHOUT IT.
- 3. Observe all local and national codes.
- 4. Proper combustion requires this unit to remain on 3" legs.
- 5. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 6. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898

Email: info@charprd.com



AMBIENT

CHAR® Products produces Ambient temperature showcase equipment that allows you to highlight and display your products.









ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

ROUND ROTATING DESSERT DISPLAY

SPECIFICATION SHEET



SPECIFICATIONS

The CHAR Round Rotating Dessert Display is a glass, three tier product display unit. This ambient temperature display case elegantly shows any dessert pastry product in a 360 degree view for maximum presentation. Speed control allows for the setting at optimal viewing pleasure and can be slowed down or turned off easily. Designed to be integral to a counter with the base hidden behind the cabinet and only the glass shelves visible. The bottom glass section is in four segments for easy removal and cleaning. The upper glass shelves are easily cleaned from the top and bottom.

PART NUMBER DESIGNATION

CP-RRDD-36-_

Option code from option list '

STANDARD FEATURES

- 1/2" Thick tempered glass shelves
- Segmented bottom shelf for easy cleaning
- Dual speed controls
- Full 304 stainless steel construction
- Mirror finish stainless steel center column
- Heavy duty drive motor
- Two year warranty parts and labor

OPTIONS				
OPTION CODE	DESCRIPTION			
NP	NEMA 5-15 115V PLUG			
SGS	STARFIRE GLASS SHELVES			
LD	LOCKING CABINET DOORS			
SSCBC	STAINLESS STEEL CABINET BASE W/ COUNTER TOP			
SSCBNC	STAINLESS STEEL CABINET BASE NO COUNTER TOP			

AQ AutoQuotes







CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com

2915 Losee Rd. Ste 106

Email: info@charprd.com



MODEL#	STANDARD	ELECTRIC	SHIPPING
	DIAMETER		WEIGHT
			ESTIMATED



- 1. Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 3. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

 CHAR Products, LLC
 Ph. 702-489-9888
 Website: www.charprd.com
 2915 Losee Rd. Ste 106

 Fax. 702-489-9898
 Email: info@charprd.com
 N. Las Vegas, NV 89030



EQUIPMENT BASE AMBIENT

SPECIFICATION SHEET

•	

*	
	CASTERS AND SWING DOORS
300WN WIID OF HUNAL	CASTERS AND SWING DOORS

ITEM NO JOB NAME JOB NO

PART NUMBER DESIGNATION

CP-EBA	
Length in inches	
Option Code from option list	

STANDARD FEATURES

- Stainless steel interior and exterior
- Heavy Duty 6" adjustable legs
- Two year warranty: parts & labor

OPTIONS		
OPTION DESCRIPTION		
CODE		
С	FOUR 6" ROLLING CASTERS	
CS	CUSTOM SHELVING	
DR	DOORS	

SPECIFICATIONS

CHAR Products has over 20 years experience designing, engineering and manufacturing commercial kitchen equipment. Our products reside all over the United States, in some of the most prestigious establishments.

Contact our sales team and see what we can do for your next Freezer Equipment Base project.









CONSULTANT APPROVAL:	

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


Email: info@charprd.com


2915 Losee Rd. Ste 106



MODEL#	LENGTH	SHIPPING WEIGHT	
	Α	ESTIMATED	
CP-EBA-36	36"	275 LBS.	
CP-EBA-48	48"	300 LBS.	
CP-EBA-60	60''	325 LBS.	
CP-EBA-72	72"	375 LBS.	







- 1. Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential indoor use.
- 3. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898

Website: www.charprd.com

2915 Losee Rd. Ste 106

Email: info@charprd.com





ITEM NO	
QUANTITY	
JOB NAME	
JOB NO	

EQUIPMENT BASE TUBE FRAME

SPECIFICATION SHEET




*SHOWN WITH OPTIONAL CASTERS

SPECIFICATIONS

The CHAR Equipment Base Tube Frame is a great addition to any commercial kitchen or food prep area. With a standard depth of 32" the table top is available in 36", 48", 60", 72", 96" lengths. This equipment base can be used to hold any of our table top grills from a Robata to a tortilla grill as well as a freezer pan or cold rail.

Must select length

PART NUMBER DESIGNATION



STANDARD FEATURES

- 6" Adjustable legs
- Fully tig welded stainless steel frame.
- 32" counter top depth

OPTIONS			
OPTION	DESCRIPTION		
CODE			
С	6" LOCKING CASTERS		









CONSULTANT APPROVAL:					

CHAR Products, LLC

Ph. 702-489-9888

Fax. 702-489-9898


Website: www.charprd.com


2915 Losee Rd. Ste 106


Email: info@charprd.com



MODEL#	LENGTH	WEIGHT	SHIPPING
	Α	CAPACITY	WEIGHT
			ESTIMATED
CP-EBTF-36	36"	400 LBS.	150 LBS.
CP-EBTF-48	48"	400 LBS.	200 LBS.
CP-EBTF-60	60"	400 LBS.	250 LBS.
CP-EBTF-72	72"	400 LBS.	300 LBS.
CP-EBTF-96	96"	400 LBS.	350 LBS.







- Observe all local and national codes.
- 2. This appliance is manufactured for commercial use ONLY. It is NOT intended for residential use.
- 8. We upgrade our products regularly and in doing so, materials, specifications, and model numbers are subject to change without notice.

CHAR Products, LLC

Ph. 702-489-9888

Website: www.charprd.com

2915 Losee Rd. Ste 106

Fax. 702-489-9898


Email: info@charprd.com

RADIANT

At CHAR® Products, we create radiant showcase equipment, making the front of house experience unique and unforgettable. Let us take your creative ideas and turn them into the center piece of your next project.











THANK YOU

CHAR® Products would like to thank you for your choice to take a look at our offerings. It is our intent to develop lasting customer relations. We take pride in our products. Our goal is for the quality and functionality of the last piece of equipment sold to sell the next. Again, thank you. We hope, that in the future, you will choose to make CHAR® Products your choice for custom equipment that will...

Ignite Your Imagination

Contact our sales team:

Office (702) 489-9888
Fax (702) 489-9898
Email info@charprd.com
Website www.charprd.com
Address: Char Products, LLC

2915 Losee Road Ste 106 North Las Vegas, NV 89030

